

Hazard Resilience Index (HRI)

Diseases

Diseases - Animals - Air and Water Transmitted
Diseases - Animals - Animal Transmitted
Diseases - Animals - Human Transmitted
Diseases - Human - Air and Water Transmitted
Diseases - Human - Animal (Including Insects) Transmitted
Diseases - Human - Human Transmitted
Diseases - Human - Food Transmitted
Diseases - Plants - Human Controlled
Diseases - Plants - General
Pest Infestations

Diseases

Please refer to the *Hazard Resilience Index Instructions (HRI)* document for more information on using this document.

Diseases – Animals

Animals - Air and Water Transmitted

Hazard Resilience Rating				High Resilience <input type="checkbox"/>	Low Resilience <input type="checkbox"/>	Need More Info <input type="checkbox"/>	Not Applicable <input type="checkbox"/>
Yes	No	Need More Info	Not Applicable	FACTORS			This factor is important to my community
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Community-based exercises involving air and water transmitted diseases to animals have taken place in the community-at-large (e.g., table-top or full-scale exercises).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers and community members immediately quarantine any sick animals (livestock or dogs/pets) in order to prevent the spread of disease.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers and community members monitor and test water quality for livestock and domesticated animals on a regular basis.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Community officials test water sources near properties with large numbers of livestock or domesticated animals to prevent drinking water contamination from, for example, <i>E. coli</i> .			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers and community members have vaccinated/immunized their livestock herds and domesticated animals as appropriate.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The local veterinarian is linked to the Canadian Network for Public Health Intelligence and the Canadian Animal Health Surveillance Network (including Health Canada, Environment Canada, Centre for Disease Control, World Health Organization etc.).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a warning system in place to notify the community of air and water transmitted diseases to animals and how to protect against them.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community has a means to consult subject matter experts or Traditional Knowledge holders about disease prevention strategies.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Animals are not transported unless they have been inspected and judged fit for transport.			<input type="checkbox"/>

Animal - Animal Transmitted

Hazard Resilience Rating				High Resilience <input type="checkbox"/>	Low Resilience <input type="checkbox"/>	Need More Info <input type="checkbox"/>	Not Applicable <input type="checkbox"/>
Yes	No	Need More Info	Not Applicable	FACTORS			This factor is important to my community
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Community-based exercises involving animal to animal transmitted diseases have taken place in the community-at-large (e.g., table-top or full-scale exercises).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers and community members immediately quarantine any sick animals in order to prevent the spread of disease.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers and community members quarantine new animals prior to introducing them to the rest of the herd/pack for at least two weeks.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hand washing stations and sanitizers are available throughout the community and farms.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers have joined the Canadian On-Farm Food Safety Program that is based on the internationally accepted food safety control system called Hazard Analysis Critical Control Point.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers and community members have vaccinated/immunized their livestock herds and domesticated animals as appropriate.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers wash hands and surfaces thoroughly and regularly especially after handling animals or around the sick.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers and community members wear protective gear when handling animals (agricultural and wild animals).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most household pets have received a rabies vaccination.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community regulates the number of small and/or backyard poultry farms in close proximity to large commercial poultry farms.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The local veterinarian is linked to the Canadian Network for Public Health Intelligence and the Canadian Animal Health Surveillance Network.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a warning system in place to notify community residents, farmers and businesses of animal-to-animal transmitted diseases and how to protect against them.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community has a means to consult subject matter experts or Traditional Knowledge holders about disease prevention strategies.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Owners of domesticated animals contain them to a property so that they do not pose a threat to the community through packs; efforts to provide proper care to stray animals are being made (e.g., spay and neuter efforts to replace dog culls).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The farming community has a plan in place to implement a 72-hour movement standstill while the Canadian Food Inspection Agency investigates the potential for foot and mouth or other diseases.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The farming community has a plan for mass vaccinations for foot and mouth disease or other diseases should they be required.			<input type="checkbox"/>

Animals - Human Transmitted

Hazard Resilience Rating				High Resilience <input type="checkbox"/>	Low Resilience <input type="checkbox"/>	Need More Info <input type="checkbox"/>	Not Applicable <input type="checkbox"/>
Yes	No	Need More Info	Not Applicable	FACTORS			This factor is important to my community
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Community-based exercises involving human-to-animal transmitted diseases exercises have taken place in the community-at-large (e.g., table-top or full-scale exercises).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers consider the risk of feeding livestock any food with supplements containing meat or bone or meal.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers and community members immediately quarantine any sick animals in order to prevent the spread of disease.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hand washing stations and sanitizers are available throughout the community and farms.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers have joined the Canadian On-Farm Food Safety Program that is based on the internationally accepted food safety control system called Hazard Analysis Critical Control Point.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers and community members have vaccinated/immunized their livestock herds and domesticated animals as appropriate.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers wash hands and surfaces thoroughly and regularly, especially after handling animals or around the sick.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers wear protective gear when handling animals (agricultural and wild animals).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The local veterinarian is linked to the Canadian Network for Public Health Intelligence and the Canadian Animal Health Surveillance Network (including Health Canada, Environment Canada, Centre for Disease Control, World Health Organization etc.).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a warning system in place to notify community residents, farmers and businesses of human to animal transmitted diseases and how to protect against them.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community has a means to consult subject matter experts or Traditional Knowledge holders about disease prevention strategies.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers, animal breeders and dog sled team owners require visitors to wear special boots and overalls to avoid spreading diseases to livestock.			<input type="checkbox"/>

Diseases – Human

Human – Air and Water Transmitted

Hazard Resilience Rating				High Resilience <input type="checkbox"/>	Low Resilience <input type="checkbox"/>	Need More Info <input type="checkbox"/>	Not Applicable <input type="checkbox"/>	
Yes	No	Need More Info	Not Applicable	FACTORS				This factor is important to my community
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Community-based exercises involving air and water transmitted human diseases and epidemics have taken place in the community-at-large (e.g., table-top or full-scale exercises).				<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hand washing stations and sanitizers are available throughout the community and farms.				<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most caregivers in seniors' homes and day care providers have been trained and have the personal protective equipment to minimize exposure and transmission during a pandemic.				<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most caregivers taking care of elderly family and children in their home know to wash their hands and surfaces thoroughly and regularly, and to follow directions for the Medical Health Office to prevent transmission during a pandemic.				<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most people in the community comply with instructions from the Medical Health Officer and take the proper precautions to avoid disease transmission.				<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community actively promotes public health directives in all community settings (e.g., physical distancing, promoting availability of hand sanitizer).				<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most residents have been vaccinated/immunized; particularly the vulnerable groups like children, the elderly, and sick.				<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community regularly tests water systems (including community taps and wells) for adequate chlorination levels and for a bacterial and microorganism count.				<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a public health warning system in place to notify community residents and businesses of air and water transmitted human diseases and how to protect against them.				<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community has a means to consult subject matter experts or Traditional Knowledge holders about disease prevention strategies.				<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a public health warning system in place to notify emergency response personnel of air and water transmitted human diseases and epidemics.				<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Eligible farmers have taken advantage of the <i>On-Farm Food Safety Program</i> to cost-share funding to address food safety issues and meet national and international food safety requirements.				<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All drinking water is treated.				<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community has taken steps to ensure that the manure and grazing pasture run-off does not enter rivers, creeks and lakes in the area.				<input type="checkbox"/>

Human - Animal (including Insects) Transmitted

Hazard Resilience Rating				High Resilience <input type="checkbox"/>	Low Resilience <input type="checkbox"/>	Need More Info <input type="checkbox"/>	Not Applicable <input type="checkbox"/>
Yes	No	Need More Info	Not Applicable	FACTORS			This factor is important to my community
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Community-based exercises involving animal to human transmitted diseases have taken place in the community-at-large (e.g., table-top or full-scale exercises).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hand washing stations and sanitizers are available throughout the community and farms.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers and community members have vaccinated/immunized their livestock herds and domesticated animals as appropriate.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most residents ensure that there are no standing pools of water on their property for mosquitoes to breed.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community has mosquito control measures in place.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community has disease awareness campaigns and control measures in place for risks associated with wild animals that hunters and gatherers may encounter (e.g., ticks and Lyme disease).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community has a means to consult subject matter experts or Traditional Knowledge holders about disease prevention strategies.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The local veterinarian is linked to the Canadian Network for Public Health Intelligence and the Canadian Animal Health Surveillance Network.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a public health warning system in place to notify community residents, farmers and businesses of animal to human transmitted diseases and how to protect against them.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community is aware of any recent anthrax outbreaks in domesticated or wild animals.			<input type="checkbox"/>

Human - Human Transmitted

Hazard Resilience Rating				High Resilience <input type="checkbox"/>	Low Resilience <input type="checkbox"/>	Need More Info <input type="checkbox"/>	Not Applicable <input type="checkbox"/>
Yes	No	Need More Info	Not Applicable	FACTORS			This factor is important to my community
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Community-based exercises involving human to human transmitted diseases have taken place in the community-at-large and the <i>Public Health Agency Pandemic Influenza Exercise for the Health and Emergency Social Services Sectors</i> has been reviewed and or used (e.g., table-top or full-scale exercises).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hand washing stations and sanitizers are available throughout the community and farms.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Health Care Practitioners access the weekly <i>Canada Communicable Disease Report</i> and advise residents accordingly.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most caregivers in seniors' homes and day care providers know to wash their hands and surfaces thoroughly and regularly especially after being around sick persons.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most caregivers taking care of elderly family and children in their home know to wash their hands and surfaces thoroughly and regularly, especially after being around sick persons.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most residents have been vaccinated/immunized; particularly the vulnerable groups like children, the elderly, and sick.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community has a means to consult subject matter experts or Traditional Knowledge holders about disease prevention strategies.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a public health warning system in place to notify community residents and businesses of human-to-human transmitted diseases and how to protect against them.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a public health warning system in place to notify emergency response personnel of human-to-human transmitted diseases.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most people in the community comply with instructions from the Medical Health Officer and take the proper precautions to avoid disease transmission.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community actively promotes public health directives in all community settings (e.g., physical distancing, promoting availability of hand sanitizer).			<input type="checkbox"/>

Human - Food Transmitted

Hazard Resilience Rating				High Resilience <input type="checkbox"/>	Low Resilience <input type="checkbox"/>	Need More Info <input type="checkbox"/>	Not Applicable <input type="checkbox"/>
Yes	No	Need More Info	Not Applicable	FACTORS			This factor is important to my community
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Community-based exercises involving food transmitted diseases to humans have taken place in the community-at-large (e.g., table-top or full-scale exercises).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers eat/sell only on-farm slaughter of livestock if the animal is healthy and in good condition; eggs are only eaten/sold from healthy poultry.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Public Health Inspectors regularly inspect local restaurants and community kitchens.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most hunters know to dress their kills and only eat meat from animals that appear to be healthy and in good condition.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most residents drink only pasteurized milk and buy meat from operators that are federally inspected.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community has a means to consult subject matter experts or Traditional Knowledge holders about disease prevention strategies.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Public Health Inspectors regularly inspect farms and farm workers to ensure good hygienic practices.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a public health warning system in place to notify community residents, farmers and businesses of food transmitted diseases to humans and how to protect against them.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a public health warning system in place to notify community residents, visitors and businesses of at risk shellfish and seafood (e.g., sold to restaurants or available in grocery/seafood stores) that poses a threat to humans and how to protect against them.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Employees working in the food manufacturing sector have been trained as per the standards set by Food Processing Skills Canada .			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a public health warning system in place to notify emergency response personnel of food transmitted diseases to humans.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All farmers, food processors and producers who make, bake or grow products to sell at local farmers' markets, farm gates or other types of temporary food markets have taken MarketSafe in British Columbia or the equivalent in other provinces.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All milk sold in the community is pasteurized.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Restaurants, and other businesses, serving food are frequently inspected as to safe food handling practices and cleanliness?			<input type="checkbox"/>

Diseases – Plants

Plants - Human Controlled

Hazard Resilience Rating				High Resilience <input type="checkbox"/>	Low Resilience <input type="checkbox"/>	Need More Info <input type="checkbox"/>	Not Applicable <input type="checkbox"/>
Yes	No	Need More Info	Not Applicable	FACTORS			This factor is important to my community
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Community-based exercises involving plant diseases have taken place in the community-at-large (e.g., table-top or full-scale exercises).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers, gardeners and operators of garden and tree nurseries carefully monitor imported plants to ensure that they do not spread new and/or exotic diseases to existing plants.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers, gardeners and operators of garden and tree nurseries have a quarantine plan in place to deal with diseased plants.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers, gardeners and gatherers have considered using film technology to coat the surface of crops, or other traditional pest/disease practices in order to them from pests and diseases where applicable.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers, gardeners and operators of garden and tree nurseries have diagnostic and surveillance programs in place to catch infections at the early stages.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers use a diverse range of agricultural crops.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers use environmentally-sensitive pesticides and fungicides to treat plants that are preapproved by the appropriate health authorities.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a warning system in place to notify community residents, farmers and businesses of plant diseases and how to protect against them.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community has a means to consult subject matter experts or Traditional Knowledge holders about disease prevention strategies.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Where community and private gardens are encouraged as a local food supply, appropriate training on pests and diseases is part of promotional material.			<input type="checkbox"/>

Plants – General Diseases

Hazard Resilience Rating				High Resilience <input type="checkbox"/>	Low Resilience <input type="checkbox"/>	Need More Info <input type="checkbox"/>	Not Applicable <input type="checkbox"/>
Yes	No	Need More Info	Not Applicable	FACTORS			This factor is important to my community
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Community-based exercises involving plant diseases have taken place in the community-at-large (e.g., table-top or full-scale exercises).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers, gardeners and operators of garden and tree nurseries have a quarantine plan in place to deal with diseased plants.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers, gardeners and operators of garden and tree nurseries have considered using film technology to coat the surface of crops, or other traditional pest/disease practices in order to protect them from pests and diseases where applicable.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers, gardeners and operators of garden and tree nurseries have diagnostic and surveillance programs in place to catch infections at the early stages.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers use a diverse range of agricultural crops.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers use environmentally-sensitive pesticides and fungicides to treat plants.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a warning system in place to notify community residents, farmers and businesses of plant diseases and how to protect against them.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community has a means to consult subject matter experts or Traditional Knowledge holders about disease prevention strategies.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Where community and private gardens are encouraged as a local food supply, appropriate training on pests and diseases is part of promotional material.			<input type="checkbox"/>

Pest Infestations

Hazard Resilience Rating				High Resilience <input type="checkbox"/>	Low Resilience <input type="checkbox"/>	Need More Info <input type="checkbox"/>	Not Applicable <input type="checkbox"/>
Yes	No	Need More Info	Not Applicable	FACTORS			This factor is important to my community
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Community-based exercises involving pest infestations have taken place in the community-at-large (e.g., table-top or full-scale exercises).			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers, gardeners and operators of garden and tree nurseries have a quarantine plan in place to deal with infested plants.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers, gardeners and operators of garden and tree nurseries have considered using film technology to coat the surface of crops protecting them from pests and diseases where applicable.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Farmers, gardeners and operators of garden and tree nurseries have diagnostic and surveillance programs in place to catch infestations at the early stages.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ministry of Forests officials regularly survey surrounding forests to determine if there are any pest infestations and offer recommendations on appropriate actions to prevent major negative impacts.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers use a diverse range of agricultural crops.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Most farmers use environmentally-sensitive pesticides and fungicides to treat plants.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The community has a means to consult subject matter experts or Traditional Knowledge holders about disease prevention strategies.			<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	There is a warning system in place to notify community residents, farmers and businesses of plant infestations and how to protect against them.			<input type="checkbox"/>

References

- Anderson, R. M., & May, R. M. (1985). Vaccination and herd immunity to infectious diseases. *Nature*, 318, 323-329. doi:10.1038/318323a0
- Canadian Food Inspection Agency. (2013). [The Canadian network for public health intelligence](#) [PowerPoint slides].
- Canadian Food Inspection Agency. (2016). [Terrestrial animal disease surveillance](#).
- Canadian Food Inspection Agency. (2017). [A plant and animal health strategy for Canada](#).
- Canadian Food Inspection Agency. (2019a). [Food safety recognition program](#).
- Canadian Food Inspection Agency. (2019b). [Food Safety Recognition Program](#).
- Canadian Food Inspection Agency. (n.d.). [Livestock transport in Canada. Are you sure that animal is fit for the trip?](#)
- Food Processing Skills Canada. (n.d.). [Food Processing Skills Canada](#).
- Gillies, M. (2018). [Modernizing Canada's foot and mouth disease response plan](#). *Canadian Veterinary Journal*, 59(8), 899-902.
- Glenn, D. M., Puterka, G. J., Vanderzwet, T., Byers, R. E., & Feldhake, C. (1999). Hydrophobic particle films: A new paradigm for suppression of arthropod pests and plant diseases. *Journal of Economic Entomology*, 92(4), 759-771. <https://doi.org/10.1093/jee/92.4.759>
- Government of Canada. (2020). [Social determinants of health and health inequities](#).
- Government of Canada. (2021, April 7). [Individual and community-based measures to mitigate the spread of COVID-19 in Canada](#).
- Health Canada. (2008). [It's your health. Avian influenza \(bird flu\)](#).
- Health Canada. (2013). [Influenza \(flu\)](#).
- Juroszek, P., & von Tiedemann, A. (2011). [Potential strategies and future requirements for plant disease management under a changing climate](#). *Plant Pathology*, 60(1), 100-112. <https://doi.org/10.1111/j.1365-3059.2010.02410.x>
- MarketSafe. (n.d.). [MarketSafe](#). British Columbia Government.
- Miller, S. A., Beed, F. D., & Harmon, C. L. (2009). Plant disease diagnostic capabilities and networks. *Annual Review of Phytopathology*, 47, 15-38. doi:10.1146/annurev-phyto-080508-081743
- Office of Disease Prevention and Health Promotion, Office of the Assistant Secretary for Health, Office of the Secretary & U. S. Department of Health and Human Services. (2020). [Social determinants of health](#). ODPHP.
- Otte, M. J., Nugent, R., & McLeod, A. (2004). [Transboundary animal diseases: Assessment of socio-economic impacts and institutional responses](#). Food and Agriculture Organization.

Public Health Agency of Canada. (2008). *Tool kit – pandemic influenza exercise for the health and emergency social services sectors.*

Public Health Agency of Canada. (2016). *Prevention of west Nile virus.*

Public Health Agency of Canada. (2021). Influenza and other respiratory viruses. *Canada communicable disease report*, 47(3).

Public Safety Canada. (2019). *North American plan for animal and pandemic influenza.*